

Sample Orthotic Fitter Exam

Following are sample questions that are similar to those you will find on the orthotic fitter examination.

- 1. The bony landmark used to locate the anatomical hip joint axis is the:
 - A. Lesser trochanter
 - B. Greater trochanter
 - C. Adductor tubercle
 - D. Iliac crest
- 2. The gastrocnemius muscle has which of the following actions?
 - A. Knee flexion and ankle plantar flexion
 - B. Knee flexion and ankle dorsi flexion
 - C. Knee extension and ankle plantar flexion
 - D. Knee extension and ankle dorsi flexion
- 3. The normal gait cycle consists of:
 - A. 40% stance phase and 60% swing phase
 - B. 50% stance phase and 50% swing phase
 - C. 60% stance phase and 40% swing phase
 - D. 70% stance phase and 30% swing phase
- 4. Increased localized redness of the skin is referred to as:
 - A. Erythemia
 - B. Edema
 - C. Sclerosis
 - D. Psoriasis
- 5. The knee is which type of joint?
 - A. Ball and socket joint
 - B. Pivot joint
 - C. Saddle joint
 - D. Hinge joint
- 6. While seeing a patient with a neoprene hinged knee orthosis for follow up, you note that the medial joint is causing mild skin irritation. Which of the following is the BEST action to take?
 - A. Tell the patient this is expected with this type of orthosis
 - B. Contour the medial joint to create clearance
 - C. Measure the patient for a new orthosis
 - D. Add padding underneath the medial knee joint

- 7. A patient who only has Medicare funding asks about their financial responsibility related to the provision of a new orthosis. You should tell them that:
 - A. They will be responsible for 20% of the usual and customary charge
 - B. They will be responsible for 80% or the usual and customary charge
 - C. They may be responsible for 20% of the Medicare allowable charge
 - D. They may be responsible for 80% of the Medicare allowable charge
- 8. A hyperextension TLSO uses a three-point pressure system, the anterior sternal pad, the anterior pubic symphysis pad and the:
 - A. Lateral rib pad
 - B. Medial rib pad
 - C. Posterior scapular pad
 - D. Posterior lumbar pad
- 9. Universal precautions refers to:
 - A. Understanding all of the safety rules for safe use of patient equipment
 - B. Assuring that all patient information is in a secure location
 - C. Avoiding contact with patients' body fluids by means of wearing exam gloves
 - D. Taking precautions to not come into contact with the patients' orthosis
- 10. During a follow-up appointment the patient states that they have not been able to wear the orthosis because recently there has been increased swelling in their limb. The fitter should:
 - A. Refer the patient back to their physician
 - B. Measure the patient for a new orthosis
 - C. Modify the orthosis to accommodate the swelling
 - D. Tell the patient to discontinue use of the orthosis until the swelling resolves

Answer Key:

1. B 2. A 3. C 4. A 5. D 6. B 7. C 8. D 9. C 10. A